

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **GXT Stool Extraction Kit**

Order number: 12.06.02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemical

1.3 Details of the supplier of the safety data sheet

Hain Lifescience GmbH

Hardwiesenstr. 1

72147 Nehren, Germany

Tel.: +49 (0) 74 73- 94 51- 0

E-mail: msds@hain-lifescience.de

1.4 Emergency telephone number

+49 (0) 74 73- 94 51- 0 (Mon-Fri 8:00-17:00 CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Flammable Liquid (category 2)

Eye Irritant (category 2)

Specific Target Organ Toxicity - Single Exposure (category 3)

Skin Corrosion (category 1B)

Chronic Hazards to the Aquatic Environment (category 3)

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008:

Hazard pictograms:



Signal word:

Danger

Hazard statements:

H225: Highly flammable liquid and vapour.

H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H412: Harmful to aquatic life with long lasting effects.

EUH032: Contact with acid liberates very toxic gas.

EUH210: Safety data sheet available on request.

Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection.

P312: Call a POISON CENTER or doctor / physician if you feel unwell.

P337+313: If eye irritation persists: Get medical advice / attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



Page 2 of 8

2.3 Other hazards

none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

The reagent cartridges contain different solutions with the following hazardous substances:

65-80% (w/w) ethanol (EC no. 200-578-6, CAS no. 64-17-5)

Classification of ethanol (100%) according to Regulation (EC) No. 1272/2008: Flammable liquids (category 2); H225

40-55% guanidine thiocyanate (EC no. 209-812-1, CAS no. 593-84-0)

Classification of guanidine thiocyanate (100%) according to Regulation (EC) No. 1272/2008: Acute toxicity (category 4; inhalation), acute toxicity (category 4; dermal), acute toxicity (category 4; oral), skin corrosive (category 1B), chronic hazards to the aquatic environment (category 3); H302/312/332-314-412, EUH032

10-20% (w/w) Triton® X-100 (CAS no. 9002-93-1)

Classification of Triton® X-100 (100%) according to Regulation (EC) No. 1272/2008: Acute toxicity (category 4; oral), serious eye irritation (category 2), chronic hazards to the aquatic environment (category 2); H302-319-411

Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No 1907/2006 (REACH).

70-96% (w/w) 2-propanol (EC no. 200-661-7, CAS no. 67-63-0)

Classification of 2-propanol (100%) according to Regulation (EC) No. 1272/2008: Flammable liquids (category 2), eye irritation (category 2), specific target organ toxicity - single exposure (category 3); H225-319-336

<0,1% (w/w) sodium azide (EG-Nr. 247-852-1, CAS-Nr. 26628-22-8)

Classification of sodium azide (100%) according to Regulation (EC) No. 1272/2008: Acute toxicity (category 2; oral), acute hazards to the aquatic environment (category 1), chronic hazards to the aquatic environment (category 1); H300-400-410, EUH032

The Stool Stabilizer contains the following hazardous substances:

15-20% ammonium chloride (EC no. 235-186-4, CAS no. 12125-02-9)

Classification of ammonium chloride (100%) according to Regulation (EC) No. 1272/2008: Acute toxicity (category 4; oral), eye irritation (category 2); H302-319

<2% cetrimonium bromide (EC no. 200-311-3, CAS no. 57-09-0)

Classification of cetrimonium bromide (100%) according to Regulation (EC) No. 1272/2008: Acute toxicity (category 4; oral), skin irritation (category 2), serious eye damage (category 1), specific target organ toxicity - single exposure (category 3), hazardous to the aquatic environment, acute (category 1); H302-315-318-335-400

Full text of hazard statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



Page 3 of 8

SECTION 4: First aid measures

4.1 Description of first aid measures

If symptoms arise, call a physician.

If inhaled:	Remove to fresh air. Call a physician.
If swallowed:	Wash out mouth with plenty of water. Drink plenty of water. Call a physician.
In case of skin contact:	Immediately wash skin with soap and copious amounts of water. Remove contaminated clothing. Call a physician.
In case of eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Ensure adequate flushing by separating the eyelids with fingers. Call a physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

In case of fire: Use alcohol-resistant dry chemical, powder or foam, or carbon dioxide for extinction (P370+378).

5.2 Special hazards arising from the substance or mixture

Hydrogen cyanide, nitrous gases, sulphur oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Prevent fire-fighting water from entering surface water or groundwater. Vapor is heavier than air. May emit toxic gases or fumes under fire conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear gloves and chemical safety goggles. Remove all sources of ignition. Ventilate area and wash spill site after material pickup is complete.

6.2 Environmental precautions

Do not allow product to enter drains.

6.3 Methods and material for containment and cleaning up

Pick up mechanically.

6.4 Reference to other sections

Disposal: see section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



Page 4 of 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No further requirements.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at 15-25°C in a dry, ventilated area away from heat sources and flammable and toxic substances.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2-propanol:

Threshold limit value (AGW; TRGS 900): 200 ml/m³; 500 mg/m³

Top limiting: exceedance factor 2

Duration 15 min, mean value; 4x per shift; interval 1 h

Category II - substances with a resorptive effect

A risk of foetal damage is ceased to fear if threshold limit value and biological limit value will be complied to.

Biological limit value (measured parameter: acetone; whole blood and urine): 50 mg/l

Sodium Azide:

Threshold limit value (AGW; TRGS 900): 0,2 mg/ m³

Top limiting: exceedance factor 2

Duration 15 min, mean value; 4x per shift; interval 1 h

Category I - substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages.

8.2 Exposure controls

Wear suitable protective clothing, gloves, and chemical safety goggles when handling the product. Close vial tightly immediately after use. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Appearance: liquid, colorless/black
- b) Odour: characteristic
- c) Odour threshold: No data available.
- d) pH: No data available.
- e) Melting point/freezing point: No data available.
- f) Initial boiling point and boiling range: No data available.
- g) Flash point: No data available.
- h) Evaporation rate: No data available.
- i) Flammability (solid, gas): No data available.
- j) Upper/lower flammability or explosive limits: No data available.
- k) Vapour pressure: No data available.
- l) Vapour density: No data available.
- m) Relative density: No data available.
- n) Solubility(ies): water soluble

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



- o) Partition coefficient n-octanol/water: No data available.
- p) Auto-ignition temperature: No data available.
- q) Decomposition temperature: No data available.
- r) Viscosity: No data available.
- s) Explosive properties: No data available.
- t) Oxidising properties: No data available.

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

heating

10.5 Incompatible materials

Strong acids, strong bases, strong oxidizing agents (e.g. sodium hypochlorite), cyanides

10.6 Hazardous decomposition products

Hydrogen cyanide, nitrous gases, sulphur oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- a) Acute toxicity:

Guanidine thiocyanate:

LD50 (oral, rat): 593 mg/kg

LD50 (dermal, mouse): 300 mg/kg

Triton® X-100:

LD50 (oral, rat, male): 500 mg/kg

LD50 (dermal, rat, male): 8000 mg/kg

Ethanol:

LD50 (oral, rat): 7660 mg/kg

LD50 (inhalation, rat): 20000 ppm/10h

2-propanol:

LD50 (oral, rat): 5045 mg/kg

LD50 (dermal, rabbit): 128000 mg/kg

LC50 (inhalation, rat): 16000 ppm/8h

- b) Skin corrosion/irritation:

Triton® X-100: weak irritation (rabbit)

2-propanol: weak irritation (rabbit)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



- c) Serious eye damage/irritation:
 - Triton® X-100**: severe irritation (rabbit)
 - 2-propanol**: irritation (rabbit)
- d) Respiratory or skin sensitisation: No data available.
- e) Germ cell mutagenicity: No data available.
- f) Carcinogenicity: No data available.
- g) Reproductive toxicity: No data available.
- h) Specific target organ toxicity - single exposure: No data available.
- i) Specific target organ toxicity - repeated exposure: No data available.
- j) Aspiration hazard: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Guanidine thiocyanate

Fish toxicity: LC50 (Poecilia reticulata): 89,1 mg/l /96h

Daphnia toxicity: EC50 (Daphnia magna): 42,4 mg/l /48h

Triton® X-100

Fish toxicity: LD50 (Pimephales promelas): 8.9 mg/l /96h

Daphnia toxicity: EC50 (Daphnia): 26 mg/l /96h

2-propanol

Fish toxicity: LC50 (Pimephales promelas): 9640 mg/l /96h

Daphnia toxicity: EC50 (Daphnia): 5102 mg/l /24h

EC50 (Daphnia, immobilization): 6851 mg/l /24h

Algae toxicity: EC50 (Scenedesmus subspitacus): >2000 mg/l /72h

Ammonium chloride

Fish toxicity: LC50 (Cyprinus carpio): 209 mg/l /96h

LC50 (Oncorhynchus mykiss): 3.98 mg/l /96h

NOEC (Oncorhynchus mykiss): 57 mg/l /96h

Daphnia toxicity: LC50 (Daphnia magna): 161 mg/l /48h

EC50 (Daphnia magna, growth inhibition): 0.1 mg/l /216h

Cetrimonium bromide

Fish toxicity: LC50 (Brachydanio rerio): 0.3 mg/l /96h

Daphnia toxicity: EC50 (Daphnia magna): 0.03 mg/l /48h

12.2 Persistence and degradability

Triton® X-100

Biodegradation: readily biodegradable

Ethanol

Biodegradation: readily biodegradable

2-propanol

Biodegradation: readily biodegradable

Cetrimonium bromide

Biodegradation: readily biodegradable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of unused reagents and waste in accordance with federal, state, and local regulations. Do not allow product to enter drains. Transfer used cartridges, pipette tips and disposable pumps to a container for biohazardous waste and autoclave before disposal.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3316

IMDG: 3316

IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT

IMDG: CHEMICAL KIT

IATA: CHEMICAL KIT

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

14.4 Packing group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

No data available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German regulation:

ammonium chloride: Water hazard class 1

cetrimonium bromide: Water hazard class 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Trade name: **GXT Stool Extraction Kit**

Date of issue: May 20, 2010

Revised at: July 30, 2018 (Version E)



15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

The following hazard statements refer to the classification of the components (pure substance, 100%) and not to the classification of the mixture:

H225:	Highly flammable liquid and vapour.
H300:	Fatal if swallowed.
H302+312+332:	Harmful if swallowed, in contact with skin or if inhaled.
H302:	Harmful if swallowed.
H314:	Causes severe skin burns and eye damage.
H315:	Causes skin irritation.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H335:	May cause respiratory irritation.
H336:	May cause drowsiness or dizziness.
H400:	Very toxic to aquatic life.
H410:	Very toxic to aquatic life with long lasting effects.
H411:	Toxic to aquatic life with long lasting effects.
H412:	Harmful to aquatic life with long lasting effects.
EUH032:	Contact with acids liberates very toxic gas.

The above product shall be used by trained staff only. The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide. Hain Lifescience shall not be held liable for any damage or other consequences resulting from handling or from contact with the above product.

Changes compared to the previous version of this document

Section	Title	Change
14	Transport information	New transport information (UN number, UN proper shipping name, Transport hazard class(es))